

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	213192	((different separate) near3 processor) with (writ\$4 load\$3 read\$3 updat\$3) with (hash "CRC" digest (authentication adj (code value))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 13:54
L2	212631	((different separate) near2 processor) with (writ\$4 load\$3 read\$3 updat\$3) with (hash "CRC" digest (authentication adj (code value))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 13:55
L3	2	((different separate) near2 processor) with (writ\$4 load\$3 read\$3 updat\$3) with (hash "CRC" digest (authentication adj (code value))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 13:56
L4	5	((different separate) with processor) with (writ\$4 load\$3 read\$3 updat\$3) with (hash "CRC" digest (authentication adj (code value))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 14:00
L5	163	((different separate multiple various plural\$3) with processor) and (("ROM" "EPROM" (volatile near memory)) with (private near key)) and ((memory storage buffer register) with (hash "CRC" digest (authentication adj (code value))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 15:08
L6	10338	((receiver recoder player "STB" set\$top\$box cable\$box) with (different separate multiple various plural\$3 secure trusted) with (processor "CPU" chip))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 14:22
L7	6939	((receiver recoder player "STB" set\$top\$box cable\$box) with (different separate multiple various plural\$3) with (processor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 14:22
L8	7880	((receiver recoder player "STB" set\$top\$box cable\$box) with (different separate multiple various plural\$3) with (processor "CPU"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 14:22
L9	2045	((receiver recoder player "STB" set\$top\$box cable\$box) with (different separate multiple various plural\$3) near3 (processor "CPU"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 15:49
L10	0	I9 and (((secure trusted) near1 (processor "CPU" chip)) with (writ\$4 load\$3 transfer\$3 updat\$3) with (hash "CRC" digest (authentication adj (code value)))) with (memory storage buffer register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 14:59

EAST Search History

L11	1	I9 and (((processor "CPU" chip)) with (writ\$4 load\$3 transfer\$3 updat\$3) with (hash "CRC" digest (authentication adj (code value))) with (memory storage buffer register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 14:28
L12	3	I9 and (((processor "CPU" chip)) with (writ\$4 load\$3 transfer\$3 updat\$3) with (hash "CRC" digest (authentication adj (code value)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 14:32
L13	4	I9 and (((processor "CPU" chip)) with (hash "CRC" digest (authentication adj (code value))) with (memory storage buffer register cache))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 14:58
L14	1281	I9 and (((processor "CPU" chip)) with (memory storage buffer register cache))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 14:59
L15	4	I9 and (((secure trusted) near1 (processor "CPU" chip)) with (memory storage buffer register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 15:00
L16	1	I9 and ((different seperate multiple various plural\$3) with processor) and (("ROM" "EPROM" (volatile near memory)) with (private near key)) and ((memory storage buffer register) with (hash "CRC" digest (authentication adj (code value))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 15:10
L17	1	I9 and (("ROM" "EPROM" (volatile near memory)) with (private near key)) and ((memory storage buffer register) with (hash "CRC" digest (authentication adj (code value))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 15:51
L18	302	I9 and (((first host second) near (processor chip "CPU") and (first second secure trust\$3) near (processor chip "CPU"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 15:28
L19	105	I18 and (("ROM" "EPROM" (volatile near memory)) and (memory storage buffer register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 15:29
L20	2	I9 and (((first host second main primary secondary) near (processor chip "CPU") and (secure trust\$3) near (processor chip "CPU"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 15:29

EAST Search History

L21.	853	((first host second main primary secondary) near (processor chip "CPU") and (secure trust\$3) near (processor chip "CPU"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 15:29
L22	515	I21 and (("ROM" "EPROM" (volatile near memory)) and (memory storage buffer register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 15:29
L23	183	I21 and (("ROM" "EPROM" (volatile near memory)) with (private near key)) and ((memory storage buffer register) with (hash "CRC" digest (authentication adj (code value))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 15:30
L29	745	((receiver recoder player "STB" set\$top\$box cable\$box) with ((trusted-secure) near3 (processor "CPU" module device chip)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 15:50
L30	6	I29 and (("ROM" "EPROM" (volatile near memory)) with (private near key)) and ((memory storage buffer register) with (hash "CRC" digest (authentication adj (code value))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 16:09
L31	33	I29 and (("ROM" "EPROM" memory) near4 key) and ((memory storage buffer register cache) with (hash "CRC" digest (authentication adj (code value))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 16:10
S2	194	("5420640" "5425101" "5502499" "5561468" "5583562" "5757416" "6160545" "4535355" "4605950" "4759060" "4882613" "4955074" "4956864" "5043805" "5204899" "5247348" "5270816" "5381481" "5420639" "5422913" "5473625" "5565926" "5592492" "5612742" "5619337" "5630221" "5650831" "5659366" "5666659" "5675390" "5694138" "5699385" "5708963" "5714876" "5724106" "5745497" "5777997" "5790202" "5805704" "5812927" "5819157" "5826165" "5835057" "5844636" "5844948" "5864747" "5870439" "5870184" "5872846" "5900867" "5901184" "5905713" "5915020" "5923755" "5926205" "5933192" "5940148" "5955783" "5963264" "5966187" "5966412" "5978649" "5983071" "5995818" "5995155" "5995563" "5999793" "6018775" "6040851" "6057890" "6091931" "6134282" "6151479" "6154206" "6169878" "6172989" "6201797" "6208636" "6212359" "6216250" "6212359" "6216250" "6229824" "6233389" "6278717" "6359636" "6367078" "6396480" "6396544" "6430159" "6496983" "6512485" "6516467" "6526576" "6529706" "6634027" "6646596" "6741841" "6920614" "7058086").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 08:51

EAST Search History

S3	18	("4829569" "4908834" "5237610" "5742677" "5835595" "6252964" "6289455" "6307937" "6411712"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 08:38
S4	10	"380"/\$.ccls. and ((conditi\$4 near access) adj1 packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 09:05
S5	28	"725"/\$.ccls. and ((conditi\$4 near access) adj1 packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 08:52
S7	590	"380"/\$.ccls. and ((content service) near1 (provider distributor server party node)) and ((hash "CRC" digest (authentication adj code value)) with (compar\$3 match\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:12
S8	22	S7 and ((hash "CRC" digest (authentication adj code value)) with (device receive component unit hardware) near1 ("ID" identifier identification number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 09:41
S9	8	S7 and ((hash "CRC" digest (authentication adj code value))) with (device receive component unit hardware) near1 ("ID" identifier identification number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 09:43
S10	60	"380"/\$.ccls. and ((hash "CRC" digest (authentication adj (code value))) with (device receive component unit hardware) near1 ("ID" identifier identification number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:11
S11	56	"726"/\$.ccls. and ((hash "CRC" digest (authentication adj (code value))) with (device receive component unit hardware) near1 ("ID" identifier identification number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 10:01
S12	6	"725"/\$.ccls. and ((hash "CRC" digest (authentication adj (code value))) with (device receive component unit hardware) near1 ("ID" identifier identification number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:00
S13	78	"709"/\$.ccls. and ((hash "CRC" digest (authentication adj (code value))) with (device receive component unit hardware) near1 ("ID" identifier identification number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 09:43

EAST Search History

S14	82	"705"/\$.ccls. and ((hash "CRC" digest (authentication adj (code value))) with (device receive component unit hardware) near1 ("ID" identifier identification number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 09:54
S15	21	S14 and ((content service) near1 (provider distributor server party node)) and ((hash "CRC" digest (authentication adj (code value))) with (compar\$3 match\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 09:55
S16	25	S13 and ((content service) near1 (provider distributor server party node)) and ((hash "CRC" digest (authentication adj (code value))) with (compar\$3 match\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 09:57
S17	229	"725"/\$.ccls. and ((hash "CRC" digest (authentication adj (code value))) with ("ID" identifier identification number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:08
S18	46	S17 and ((content service) near1 (provider distributor server party node)) and ((hash "CRC" digest (authentication adj (code value))) with (compar\$3 match\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:01
S19	28	"725"/25,31.ccls. and ((hash "CRC" digest (authentication adj (code value))) with ("ID" identifier identification number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:08
S20	60	"726"/\$.ccls. and ((hash "CRC" digest (authentication adj (code value))) with (device receive component unit hardware terminal) near1 ("ID" identifier identification number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:10
S21	69	"380"/\$.ccls. and ((hash "CRC" digest (authentication adj (code value))) with (device receive component unit hardware terminal) near1 ("ID" identifier identification number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:12
S22	15	S20 and ((content service) near1 (provider distributor server party node)) and ((hash "CRC" digest (authentication adj (code value))) with (compar\$3 match\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:34
S23	9	S21 and ((content service) near1 (provider distributor server party node)) and ((hash "CRC" digest (authentication adj (code value))) with (compar\$3 match\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:12

EAST Search History

S24	2	"6385596".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 12:18
S25	2	"6434535".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 12:18
S26	619	"380"/\$.ccls. and ((multi\$3 plural plurality different various first second) near (processor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 15:04
S27	41	S26 and ((processor with read) and (processor with write))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 14:07
S28	426	S26 and (processor with (writ\$4 load\$3 read\$3 updat\$3) with (hash "CRC" digest (authentication adj (code value))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 13:47
S29	17	S26 and (processor with (writ\$4 load\$3 read\$3 updat\$3) with (hash "CRC" digest (authentication adj (code value))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 14:17
S30	1044	((processor "CPU") with (writ\$4 load\$3 read\$3 updat\$3) with (hash "CRC" digest (authentication adj (code value))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 14:18
S31	717	((processor "CPU") with (writ\$4 load\$3 updat\$3) with (hash "CRC" digest (authentication adj (code value))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 14:18
S32	227	S31 and ((processor "CPU") with (read\$3 get\$back retriev\$3 receiv\$3 obtain\$3) with (hash "CRC" digest (authentication adj (code value))) with (memory storage register "ROM"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 14:33
S33	96	S32 and ((multi\$3 plural plurality different various first second) near (processor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 14:21

EAST Search History

S34	96	S32 and ((multi\$3 plural plurality different various first second) near1 (processors))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 14:21
S35	42	"380"/\$.ccls. and ((processor "CPU") with (read\$3 get\$back retriev\$3 receiv\$3 obtain\$3) with (hash "CRC" digest (authentication adj (code value))) with (memory storage register "ROM"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 14:51
S36	35	"726"/\$.ccls. and ((processor "CPU") with (read\$3 get\$back retriev\$3 receiv\$3 obtain\$3) with (hash "CRC" digest (authentication adj (code value))) with (memory storage register "ROM"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 14:53
S37	9	"725"/\$.ccls. and ((processor "CPU") with (read\$3 get\$back retriev\$3 receiv\$3 obtain\$3) with (hash "CRC" digest (authentication adj (code value))) with (memory storage register "ROM"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 15:02
S38	611	"725"/\$.ccls. and ((multi\$3 plural plurality different various first second) near (processor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 15:01
S39	3	S38 and ((processor "CPU") with (hash "CRC" digest (authentication adj (code value))) with (memory storage register "ROM"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 15:15
S40	102	"380"/\$.ccls. and ((processor "CPU") with (hash "CRC" digest (authentication adj (code value))) with (memory storage register "ROM"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 15:04
S41	27	S40 and ((multi\$3 plural plurality different various first second) near (processor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 15:13
S42	47	((generat\$3 calculat\$3 manipul\$3 comput\$3 determin\$4) with (hash "CRC" digest (authentication adj (code value))) with (power system receiver unit terminal turn) near ("ON" up initial\$4 boot\$up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 15:25
S43	66	((generat\$3 calculat\$3 manipul\$3 comput\$3 determin\$4) with (hash "CRC" digest (authentication adj (code value))) with (power system receiver unit terminal turn) near ("ON" "up" initial\$4 start boot\$up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 15:50

EAST Search History

S44	279	((hash "CRC" digest (authentication adj (code value))) with (power system receiver unit terminal turn) near ("ON" "up" initial\$4 start boot\$up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 15:30
S45	10	"380"/\$.ccls. and ((hash "CRC" digest (authentication adj (code value))) with (power system receiver unit terminal turn) near ("ON" "up" initial\$4 start boot\$up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 15:31
S46	3	"725"/\$.ccls. and ((hash "CRC" digest (authentication adj (code value))) with (power system receiver unit terminal turn) near ("ON" "up" initial\$4 start boot\$up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 15:43
S47	18	"709"/\$.ccls. and ((hash "CRC" digest (authentication adj (code value))) with (power system receiver unit terminal turn) near ("ON" "up" initial\$4 start boot\$up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 15:48
S48	480	((hash "CRC" digest (authentication adj (code value))) with (periodically))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 15:49
S49	26	"380"/\$.ccls. and ((hash "CRC" digest (authentication adj (code value))) with (periodically))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 15:49
S50	182	((generat\$3 calculat\$3 manipul\$3 comput\$3 determin\$4) with (hash "CRC" digest (authentication adj (code value))) with (periodically))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 16:15
S51	843	(hash\$3 with (processor "CPU") with (memory hard\$disk))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 16:16
S52	64	"380"/\$.ccls. and (hash\$3 with (processor "CPU") with (memory hard\$disk))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 16:23
S53	59	"726"/\$.ccls. and (hash\$3 with (processor "CPU") with (memory hard\$disk))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 16:23

EAST Search History

S54	29	"705"/\$.ccls. and (hash\$3 with (processor "CPU") with (memory hard\$disk))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 16:24
S56	20	(hash\$3 near2 (processor "CPU")) with (hash near2 (memory hard\$disk))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 16:30
S57	106	(hash\$3 near3 (processor "CPU" controller)) with (hash near3 (memory hard\$disk "CD" "ROM" hard\$drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 16:53
S58	376	(hash\$3 near3 (processor "CPU" controller) with (memory hard\$disk "CD" "ROM" hard\$drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 16:54
S59	1029	(hash\$3 with (processor "CPU" controller) with (memory hard\$disk "CD" "ROM" hard\$drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 16:54
S60	252	((generat\$3 calculat\$3 manipul\$3 comput\$3 determin\$4) near2 hash\$3) with (processor "CPU" controller) with (memory hard\$disk "CD" "ROM" hard\$drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 17:16
S61	3	(hash\$3 with ((processor "CPU" controller) near ("ID" identifier identification number)) with ((memory hard\$disk "CD" "ROM" hard\$drive) near ("ID" identifier identification number)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 17:24
S62	4141	((service content) near1 (distributor provider server terminal unit node)) same ((user client customer) near2 (database table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 17:34
S63	123	S62 and (((user client customer) near2 (database table)) with (device unit node receiver computer) near2 ("ID" identifier identifier address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 08:51
S66	229	"725"/\$.ccls. and ((hash "CRC" digest (authentication adj (code value))) with ("ID" identifier identification number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 08:25

EAST Search History

S68	592	"380"/\$.ccls. and ((content service) near1 (provider distributor server party node)) and ((hash "CRC" digest (authentication adj code value)) with (compar\$3 match\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 08:26
S71	78	"709"/\$.ccls. and ((hash "CRC" digest (authentication adj (code value))) with (device receive component unit hardware) near1 ("ID" identifier identification number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 08:27
S74	2	"20010056493"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 08:34
S75	3800	((user client customer) near2 (database table profile profile)) with (device unit node receiver computer user client customer) near2 (address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 08:57
S76	62	S75 and (((user client customer) near2 (database table profile profile)) with ((access secret program register) near (code key)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 09:11
S77	776	((user client customer member) near2 (database table profile profile)) with ((access secret program register) near (code key)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 09:12
S78	39	"380"/\$.ccls. and (((user client customer member) near2 (database table profile profile)) with ((access secret program register) near (code key)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 09:20
S79	20	"725"/\$.ccls. and (((user client customer member) near2 (database table profile profile)) with ((access secret program register) near (code key)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 09:17
S80	496	"380"/\$.ccls. and (((database table profile)) with ((access secret program register) near (code key)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 09:21
S81	124	S80 and (((access secret program register) near (code key)) with (decrypt\$3 access\$3 retriev\$3 receiv\$3) near3 (program content media audio video))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 09:22

EAST Search History

S82	200	((hash "CRC" digest (authentication adj (code value))) with (device receiver component unit hardware) near1 (manufactur\$4 creator produc\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 10:06
S83	68	((hash "CRC" digest (authentication adj (code value))) with (device receiver component unit hardware) near1 (manufactur\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 10:06
S84	109	((hash "CRC" digest (authentication adj (code value))) with (device receiver component unit hardware) near2 (manufactur\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 10:21
S85	54	((hash "CRC" digest (authentication adj (code value))) with (suppl\$4 receiv\$3 generat\$3 transmit\$4 obtain\$4 forward\$3 send\$3) near2 (manufactur\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 10:39
S86	409	((hash "CRC" digest (authentication adj (code value))) with (suppl\$4 receiv\$3 generat\$3 transmit\$4 obtain\$4 forward\$3 send\$3) with (manufactur\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 10:40
S87	32	"380"/\$.ccls. and ((hash "CRC" digest (authentication adj (code value))) with (suppl\$4 receiv\$3 generat\$3 transmit\$4 obtain\$4 forward\$3 send\$3) with (manufactur\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 10:42
S88	15	"726"/\$.ccls. and ((hash "CRC" digest (authentication adj (code value))) with (suppl\$4 receiv\$3 generat\$3 transmit\$4 obtain\$4 forward\$3 send\$3) with (manufactur\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 12:24
S89	17	"705"/\$.ccls. and ((hash "CRC" digest (authentication adj (code value))) with (suppl\$4 receiv\$3 generat\$3 transmit\$4 obtain\$4 forward\$3 send\$3) with (manufactur\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 10:40
S90	6	"709"/\$.ccls. and ((hash "CRC" digest (authentication adj (code value))) with (suppl\$4 receiv\$3 generat\$3 transmit\$4 obtain\$4 forward\$3 send\$3) with (manufactur\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 10:42
S91	2	"725"/\$.ccls. and ((hash "CRC" digest (authentication adj (code value))) with (suppl\$4 receiv\$3 generat\$3 transmit\$4 obtain\$4 forward\$3 send\$3) with (manufactur\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 10:42

EAST Search History

S92	2	"20030188194"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 13:47
-----	---	---------------	---	----	----	------------------